TOP SECRET

OUT64124

SROW 1

Excluded from enteractic downgrading and declassification

1968 JAN 19 23 01Z

TOPSECRET 192242Z JAN 68 CITE 25X1 2780 25X1 CORONA REF A MISSION 1102-I STELLAR REF B 25X1 TELCON 18 JAN 1968 FOLLOWING ARE THE BACKGROUND DENSITIES SAMPLED ON MISSION 1102-1 STELLAR FRAMES 411 STBD AND 411 PORT. THE DENSITY OF EACH FRAME WAS MEASURED WITH A MACBETH QUANTALOG DENSITOMETER, MODEL EP 1000 WITH A 0.5 MM APERTURE. THE DENSITIES WERE SAMPLED IN EACH CORNER AND IN THE CENTER OF EACH FRAME. ALL VALUES INCLUDE BASE FOG WHICH IS ALSO INDICATED SEPARATELY. FRAME 411 PORT FRAME 411 STBD BASE FOG Ø.15 Ø.13 READING 0.26 0.21 1 DISTRIBUTION 2 Ø.26 Ø.22 Action Office Cy No. Ø.28 0.30 File Sec. 0.22 Ø.27 0.23 Ø.27 THE RELATIVE LOCATION OF THE DENSITY SAMPLINGS WITHIN 73.8 EACH FRAME ARE: 2 Sacrety 3 5 TOPSECRET PSO -- END OF MESSAGE --IEG IAS DIAXX-4 SPAD 25X1 Advance Copy Santized With Text 25X1

TOP SECRET

Approved For Release 2008/09/18 : CIA-RDP78B04549A000200020014-9